
MHS 353-R

water-cooled



350 Amp./100% duty cycle (CO_2)
310 Amp./100% duty cycle (mixed gas)

Spare parts like:
MHS 32 gas-cooled



Available for M6 or M8 contact tips

HSN 021

MHS 353 - R

water-cooled





Gas nozzle massy design
(no swifel nut required)
to use with HT-Gas diffusor
„Black Power"
part No. 32912014


Gas nozzle
part No.
32936001



Ball joint
part No. 91912704



Gas nozzle conical ID12mm
part No. 32930001



Gas nozzle conical ID15mm
part No. 32931001



Gas nozzle conical ID16mm
massy design (2mm)
part No.32932001



Gas nozzle cylindric ID19mm
part No. 32933001



Ratio-handle with ball joint
part No. 91912535



Industry-handle with ball joint
part No. 91912102



Contact tip M8 x 30
part No. 830□001
part No. 830□401(CuCrZr)
part No. 830□301(nickel plated)
□**Please fill in wire diameter**



Contact tip M6 x 28
part No. 628□001
part No. 628□401(CuCrZr)
part No. 628□301(nickel plated)
□**Please fill in wire diameter**

Holch Schweißbrenner


GETESTET EN 60974-7 ISO 9001:2015

www.holch-siegen.de

MADE IN GERMANY DAS ORIGINAL

MHS 353-R water-cooled

350 Ampere at 100% duty cycle (CO_2) - 310 Ampere at 100% duty cycle (mixed gas)



MHS 353-R

Welding-torch MIG-MAG water-cooled

350A at 100% duty cycle (CO2) - 310A at 100% duty cycle (mixed gas)

	Art.-No.	
		Spare parts as torch MHS 32 gas-cooled
	35300311	Torch MHS 353-R / 3m EURO central adapter soldered in tip holder M6
	35300411	Torch MHS 353-R / 4m EURO central adapter soldered in tip holder M6
	35300511	Torch MHS 353-R / 5m EURO central adapter soldered in tip holder M6
	35350311	AUTomatic-torch MHS 353-R / 3m EURO central adapter soldered in tip holder M6
	35300312	Torch MHS 353-R / 3m EURO central adapter soldered in tip holder M8
	35300412	Torch MHS 353-R / 4m EURO central adapter soldered in tip holder M8
	35300512	Torch MHS 353-R / 5m EURO central adapter soldered in tip holder M8
	35350312	AUTomatic-torch MHS 353-R / 3m EURO central adapter soldered in tip holder M8
		For torches without EURO central-adaptor the following prices apply. Please note that for some special machine side connections surcharges may arise, which you will find in the appendix "A" custom made products.
	35300301	Torch MHS 353-R / 3m soldered in tip holder M6
	35300401	Torch MHS 353-R / 4m soldered in tip holder M6
	35300501	Torch MHS 353-R / 5m soldered in tip holder M6
	35350301	AUTomatic-torch MHS 353-R / 3m soldered in tip holder M6
	35300302	Torch MHS 353-R / 3m soldered in tip holder M8
	35300402	Torch MHS 353-R / 4m soldered in tip holder M8
	35300502	Torch MHS 353-R / 5m soldered in tip holder M8
	35350302	AUTomatic-torch MHS 353-R / 3m soldered in tip holder M8
		Special lengths for hand- and AUTomatic-torches please notice appendix "B".
		Torches with flexible and highly heat resistant cable assemblies available for small surcharges! Please see appendix "B"
	pg000001	Surcharge: Pistol-shape-handle / stabilizer
N.i.	91912453	Heat protection shield for pistol handle, screws included
	29004602	Surcharge: Torch body with custom bending
	91900102	Adapter EURO central adapter fits power source with Dinse central adapter
		All torch bodies and AUTomatic torch bodies with teflon insulation, nickel coated brazen outer tube and very massive power conduit and max. cooling water conduits.
1	35391001	Torch body with soldered in tip holder M6
1	35391101	Torch body with soldered in tip holder M8
5	35391501	AUTomatic-torch body with soldered in tip holder M6
5	35391511	AUTomatic-torch body with soldered in tip holder M8
		Handles complete with switch and screws Ball joints or sockets are also included
10	91912535	Ratio-handle 18mm with ball joint
10	91912435	Ratio-handle 18mm (***without ball joint***)
N.i.	91912438	Ratio microswitch DC2
N.i.	91912439	Push button red for Ratio handle also fits RAUCH handle
N.i.	91912441	Spring fits button Ratio grip handle and RAUCH grip handle

MHS 353-R

Welding-torch MIG-MAG water-cooled

350A at 100% duty cycle (CO2) - 310A at 100% duty cycle (mixed gas)

	Art.-No.	
11	91912102	Industry-handle 18mm with ball joint
11	91912331	Industry-handle 18mm (***without ball joint***)
N.i.	91920411	Switch-set fits industry-handle for 16/18/20mm (11 parts)
N.i.	91920702	Screw M3x11,5mm fits Ratio/Industry/RAUCH handle and cable support
N.i.	91920703	M3 mounting socket fits Ratio/Industry/RAUCH handle and cable support
12	91912921	AUT handle tube, brass-cladded AD38mm for AUT-torch standard
13	91912911	Holding screw M4x6mm for AUT handle tube OD38mm
14	50191251	Rubber cable-support RETRO
15	91912701	Spring socket pistol side fits handle without ball joint
16	91912704	Spring socket pistol side fits handle with ball joint
17	91912711	AUT spring socket
19	91912501	Cable support spring pistol-side fits water-cooled torches
N.i.	91912511	AUT cable support spring (long design)
N.i.	91912521	AUT suspension spring
N.i.	91912531	AUT carabiner
N.i.	10089001	Single stroke button (rubber)
22	91902811	Cable-plug fits industry-handle
23	91902901	Male connector cable-plug for machine side EURO central adapter
24	91903001	Female connector cable-plug fits machine side EURO central adapter
25	91902423	Meter control line 2x0,75mm² red free of halogen (100m)
		Spare cable-assemblies complete with cable support springs and fittings. **Fits handles with or without ball joint - please specify!**
30	09200312	Spare cable assembly 3m / without EURO central adapter
30	09200412	Spare cable assembly 4m / without EURO central adapter
30	09200512	Spare cable assembly 5m / without EURO central adapter
		Supply lines and thermo-hoses, superflexible and highly heat resistant **please see appendix "C" and "D"**
31	0950a311	Wire conduit flexible MHS / 3m EURO central adapter (flexible)
31	0950a411	Wire conduit flexible MHS / 4m EURO central adapter (flexible)
31	0950a511	Wire conduit flexible MHS / 5m EURO central adapter (flexible)
32	09400311	ST 80 PVC-NIT power/water cable MHS / 3m EURO central adapter
32	09400411	ST 80 PVC-NIT power/water cable MHS / 4m EURO central adapter
32	09400511	ST 80 PVC-NIT power/water cable MHS / 5m EURO central adapter
		Supply lines for AUTomatic torches.
31	0950d311	AUT wire conduit MHS / 3m EURO central adapter white (hard)
32	09400313	HT 110 rubber fabric hose power/water cable MHS / 3m EURO central adapter
		Reel goods: **Prices are per meter and only applicable if a complete reel is purchased.**
33	41500001	Meter ST 70 PVC hose ID4,0-W1,5mm black for gas (100m)
34	50170001	Meter ST 80 PVC-NIT fabric hose ID5,0-W1,7mm blue for water (100m) robust model, thick-walled and non-buckling
35	50171001	Meter ST 80 PVC-NIT fabric hose ID5,0-W1,7mm red for water (100m) robust model, thick-walled and non-buckling

MHS 353-R

Welding-torch MIG-MAG water-cooled

350A at 100% duty cycle (CO2) - 310A at 100% duty cycle (mixed gas)

	Art.-No.	
36	91901001	Cooling liquid plug nipples EURO
N.i.	91901008	Closing cap blue fits cooling liquid plug nipples EURO
N.i.	91901009	Closing cap red fits cooling liquid plug nipples EURO
37	25151001	Meter rubberized fabric protective hose ID25-W1,5mm (40m)
37.1	25151311	Rubberized fabric protective hose ID25-W1,5mm perforated fits 3m / EURO central adapter
37.1	25151411	Rubberized fabric protective hose ID25-W1,5mm perforated fits 4m / EURO central adapter
37.1	25151511	Rubberized fabric protective hose ID25-W1,5mm perforated fits 5m / EURO central adapter
40	91900701	Terminal nut insulated fits EURO central adapter
41	91900201	Central adapter fixed contact-pins EURO central adapter
41	91900206	Central adapter spring contact-pins EURO central adapter
42	91900801	O-ring ID4-W1mm fits gas-nipple EURO central adapter
43	91900901	Swivel nut IT-M10x1 (rounded edges) fits EURO central adapter
48	91901011	Rubber-hose-fence fits cable support
49	91900561	Cable support machine side (srews included) fits EURO central adapter
N.i.	91920702	Screw M3x11,5mm fits Ratio/Industry/RAUCH handle and cable support
N.i.	91920703	M3 mounting socket fits Ratio/Industry/RAUCH handle and cable support
N.i.	91900601	Attachment screw M4x6mm fits cable support EURO central adapter
50	91912801	Spring-socket fits cable support
51	91912601	Cable support spring
63	32912001	Gas diffusor-insulating fits contact tip M6-L28-D8
63	32912002	Gas diffusor-insulating fits contact tip M8-L30-AD10
63	32912004	HT-gasdiffusor black power fits contact tip M6-L28-D8
63	32912014	HT-gasdiffusor black power fits contact tip M8-L30-AD10
70	62808001	Contact tip M6-L28-AD8 0,8
70	62810001	Contact tip M6-L28-AD8 1,0
70	62812001	Contact tip M6-L28-AD8 1,2
70	62814001	Contact tip M6-L28-AD8 1,4
70	62808401	Contact tip M6-L28-AD8 CuCrZr 0,8
70	62810401	Contact tip M6-L28-AD8 CuCrZr 1,0
70	62812401	Contact tip M6-L28-AD8 CuCrZr 1,2
70	62808301	Contact tip M6-L28-AD8 0,8 nickel-plated
70	62810301	Contact tip M6-L28-AD8 1,0 nickel-plated
70	62812301	Contact tip M6-L28-AD8 1,2 nickel-plated
70	62814301	Contact tip M6-L28-AD8 1,4 nickel-plated
70	62808a01	Contact tip M6-L28-D8 0,8-A for aluminium wire
70	62810a01	Contact tip M6-L28-D8 1,0-A for aluminium wire
70	62812a01	Contact tip M6-L28-D8 1,2-A for aluminium wire
70.1	83008001	Contact tip M8-L30-AD10 0,8
70.1	83010001	Contact tip M8-L30-AD10 1,0
70.1	83012001	Contact tip M8-L30-AD10 1,2
70.1	83014001	Contact tip M8-L30-AD10 1,4
70.1	83010401	Contact tip M8-L30-D10 CuCrZr 1,0
70.1	83012401	Contact tip M8-L30-D10 CuCrZr 1,2

MHS 353-R

Welding-torch MIG-MAG water-cooled

350A at 100% duty cycle (CO2) - 310A at 100% duty cycle (mixed gas)

	Art.-No.	
70.1	83014401	Contact tip M8-L30-D10 CuCrZr 1,4
70.1	83008301	Contact tip M8-L30-AD10 0,8 nickel-plated
70.1	83010301	Contact tip M8-L30-AD10 1,0 nickel-plated
70.1	83012301	Contact tip M8-L30-AD10 1,2 nickel-plated
70.1	83014301	Contact tip M8-L30-AD10 1,4 nickel-plated
70.1	83008a01	Contact tip M8-L30-D10 0,8-A for aluminium wire
70.1	83010a01	Contact tip M8-L30-D10 1,0-A for aluminium wire
70.1	83012a01	Contact tip M8-L30-D10 1,2-A for aluminium wire
78	32912101	Swivel nut for gas nozzle
N.i.	32912102	Swivel nut for gas nozzle widened fits heavy gass nozzle
80	32930001	Gas nozzle conical-ID12mm
81	32931001	Gas nozzle conical-ID15mm
82	32933001	Gas nozzle cylindric-ID19mm
83	32932001	Gas nozzle conical-ID16mm massy design
84	32936001	Gas nozzle conical-ID16mm massy design (no swivel nut required)
		Spirals and liners also available in other sizes on inquiry!
90	20450311	Guide spiral-liner ID2,0-AD4,5 fits 3m / EURO central adapter
90	20450411	Guide spiral-liner ID2,0-AD4,5 fits 4m / EURO central adapter
90	20450511	Guide spiral-liner ID2,0-AD4,5 fits 5m / EURO central adapter
92	20393311	PTFE-carbon core liner ID2,0-AD3,9 fits 3m / EURO central adapter
92	20393411	PTFE-carbon core liner ID2,0-AD3,9 fits 4m / EURO central adapter
92	20393511	PTFE-carbon core liner ID2,0-AD3,9 fits 5m / EURO central adapter
92	20406311	Carbon-PA core liner ID2,0-AD4,0 fits 3m / EURO central adapter
92	20406411	Carbon-PA core liner ID2,0-AD4,0 fits 4m / EURO central adapter
92	20406511	Carbon-PA core liner ID2,0-AD4,0 fits 5m / EURO central adapter
92	23476311	Carbon-PA core liner ID2,3-AD4,7 fits 3m / EURO central adapter
92	23476411	Carbon-PA core liner ID2,3-AD4,7 fits 4m / EURO central adapter
92	23476511	Carbon-PA core liner ID2,3-AD4,7 fits 5m / EURO central adapter
92	20404311	ULTRA-liner (brown) ID2,0-OD4,0 fits 3m / EURO central adapter
92	20404411	ULTRA-liner (brown) ID2,0-OD4,0 fits 4m / EURO central adapter
92	20404511	ULTRA-liner (brown) ID2,0-OD4,0 fits 5m / EURO central adapter
92	23474311	ULTRA-liner (brown) ID2,3-OD4,7 fits 3m / EURO central adapter
92	23474411	ULTRA-liner (brown) ID2,3-OD4,7 fits 4m / EURO central adapter
92	23474511	ULTRA-liner (brown) ID2,3-OD4,7 fits 5m / EURO central adapter
N.i.	20405002	Brass spiral liner (marked blue) ID2,0-OD4,0mm L300mm fits liner OD3,9/4,0mm
N.i.	20405001	Brass spiral liner (marked green) ID2,0-OD4,0mm L300mm fits liner OD4,7mm
N.i.	25405002	Bronze spiral liner (marked blue) ID2,5-OD4,0mm L300mm fits liner OD3,9/4,0mm
N.i.	25405001	Bronze spiral liner (marked green) ID2,5-OD4,0mm L300mm fits liner OD4,7mm
95	91905721	Nipple (brass L-30mm) fits spiral liner EURO central adapter AD4,5mm

MHS 353-R

Welding-torch MIG-MAG water-cooled

350A at 100% duty cycle (CO2) - 310A at 100% duty cycle (mixed gas)

	Art.-No.	
96	91906111	Nipple fits core liner EURO central adapter AD3,9/4,0mm
96	91906121	Nipple fits core liner EURO central adapter AD 4,7mm
97	91906131	O-ring ID3,5-W1,5mm fits core liners
N.i.	91906112	Support tube, brass ID4,4 - AD5,0 - L200mm