MHS 92-D

water-cooled



450 Amp./100% duty cycle (CO_2)
400 Amp./100% duty cycle (mixed gas)



HSN 015

MHS 92-D

water-cooled



Torch body

Ball joint
part No. 91912704




Gas nozzle conical ID17mm
part No. 92930001



Ratio-handle with ball joint
part No. 91912536



Gas nozzle cylindric ID21mm
part No. 92933001



Industry-handle with ball joint
part No. 91912103



Heavy duty gas nozzle conical ID17mm
part No. 92930041



Laminated fabric-tension
sleeve with right hand thread
part No. 92912401

Rubber flatring
part No. 92912201



Water distributor
part No. 92912301

Rubber flatring
part No. 92912201



Insulating
part No. 92912101

Insulating sleeve left hand thread
part No. 92912001



Contact tip holder
part No. 92981001



Heavy duty gas nozzle cylindric ID21mm
with cooling chamber
part No. 92933021



Contact tip M8 x 30
part No. 830□001
part No. 830□401(CuCrZr)
part No. 830□301(nickel plated)
□Please fill in wire diameter



HD-Contact tip M8x 36
part No. 836□401(CuCrZr)
□ Please fill in wire diameter

HSN 639

Holch Schweißbrenner


GETESTET EN 60974-7 ISO 9001:2015

www.holch-siegen.de

MADE IN GERMANY DAS ORIGINAL

MHS 92-D water-cooled

450 Ampere at 100% duty cycle (CO_2) - 400 Ampere at 100% duty cycle (mixed gas)



Operating instruction

Screw laminated fabric-tension sleeve right-hand thread (60) down until it goes no further. Then, mount rubber flatring (64), water distributor (66) and a second rubber flatring (64). Screw down insulating sleeve left-hand thread (68) until it goes no further. Slide insulation for gas nozzle (86) into the gas nozzle (81,82,88,89). Slide the gas nozzle over the cooling system. Now, screw back the laminated fabric-tension sleeve. The rubber flatrings are being compressed and pushed to the outside, sealing the water circulation system and holding the gas nozzle.

HSN 126

MHS 92-D

Welding-torch MIG-MAG water-cooled

450A at 100% duty cycle (CO2) - 400A at 100% duty cycle (mixed gas)

	Art.-No.	
	92000311	Torch MHS 92-D / 3m EURO central adapter
	92000411	Torch MHS 92-D / 4m EURO central adapter
	92000511	Torch MHS 92-D / 5m EURO central adapter
	92500311	AUTomatic-torch MHS 92-D / 3m EURO central adapter
		For torches without EURO central-adaptor the following prices apply. Please note that for some special machine side connections surcharges may arise, which you will find in the appendix "A" custom made products.
	92000301	Torch MHS 92-D / 3m
	92000401	Torch MHS 92-D / 4m
	92000501	Torch MHS 92-D / 5m
	92500301	AUTomatic-torch MHS 92-D-M8 / 3m
		Special lengths for hand- and AUTomatic-torches please notice appendix "B".
		Torches with flexible and highly heat resistant cable assemblies available for small surcharges! Please see appendix "B"
	pg000001	Surcharge: Pistol-shape-handle / stabilizer
N.i.	91912453	Heat protection shield for pistol handle, screws included
	29004602	Surcharge: Torch body with custom bending
	91900102	Adapter EURO central adapter fits power source with Dinse central adapter
		Torch body and AUTomatic torch body with rubber insulation, very massive power conduit, max. cooling water conduits, complete with contact tip holder M8.
1	92910001	Torch body
5	92915001	AUTomatic-torch body
N.i.	set92001	Wearing part set for torch body
		Handles complete with switch and screws Ball joints or sockets are also included
10	91912536	Ratio-handle 20mm with ball joint
10	91912436	Ratio-handle 20mm (***without ball joint***)
N.i.	91912438	Ratio microswitch DC2
N.i.	91912439	Push button red for Ratio handle also fits RAUCH handle
N.i.	91912441	Spring fits button Ratio grip handle and RAUCH grip handle
11	91912103	Industry-handle 20mm with ball joint
11	91912431	Industry-handle 20mm (***without ball joint***)
N.i.	91920411	Switch-set fits industry-handle for 16/18/20mm (11 parts)
N.i.	91920702	Screw M3x11,5mm fits Ratio/Industry/RAUCH handle and cable support
N.i.	91920703	M3 mounting socket fits Ratio/Industry/RAUCH handle and cable support
12	91912921	AUT handle tube, brass-cladded AD38mm for AUT-torch standard
13	91912911	Holding screw M4x6mm for AUT handle tube OD38mm
14	50191251	Rubber cable-support RETRO
15	91912701	Spring socket pistol side fits handle without ball joint
16	91912704	Spring socket pistol side fits handle with ball joint
17	91912711	AUT spring socket

MHS 92-D

Welding-torch MIG-MAG water-cooled

450A at 100% duty cycle (CO2) - 400A at 100% duty cycle (mixed gas)

	Art.-No.	
19	91912501	Cable support spring pistol-side fits water-cooled torches
N.i.	91912511	AUT cable support spring (long design)
N.i.	91912521	AUT suspension spring
N.i.	91912531	AUT carabiner
N.i.	10089001	Single stroke button (rubber)
22	91902811	Cable-plug fits industry-handle
23	91902901	Male connector cable-plug for machine side EURO central adapter
24	91903001	Female connector cable-plug fits machine side EURO central adapter
25	91902423	Meter control line 2x0,75mm² red free of halogen (100m)
		Spare cable-assemblies complete with cable support springs and fittings. **Fits handles with or without ball joint - please specify!**
30	09200312	Spare cable assembly 3m / without EURO central adapter
30	09200412	Spare cable assembly 4m / without EURO central adapter
30	09200512	Spare cable assembly 5m / without EURO central adapter
		Supply lines and thermo-hoses, superflexible and highly heat resistant **please see appendix "C" and "D"**
31	0950a311	Wire conduit flexible MHS / 3m EURO central adapter (flexible)
31	0950a411	Wire conduit flexible MHS / 4m EURO central adapter (flexible)
31	0950a511	Wire conduit flexible MHS / 5m EURO central adapter (flexible)
32	09400311	ST 80 PVC-NIT power/water cable MHS / 3m EURO central adapter
32	09400411	ST 80 PVC-NIT power/water cable MHS / 4m EURO central adapter
32	09400511	ST 80 PVC-NIT power/water cable MHS / 5m EURO central adapter
		Supply lines for AUTomatic torches.
31	0950d311	AUT wire conduit MHS / 3m EURO central adapter white (hard)
32	09400313	HT 110 rubber fabric hose power/water cable MHS / 3m EURO central adapter
		Reel goods: **Prices are per meter and only applicable if a complete reel is purchased.**
33	41500001	Meter ST 70 PVC hose ID4,0-W1,5mm black for gas (100m)
34	50170001	Meter ST 80 PVC-NIT fabric hose ID5,0-W1,7mm blue for water (100m) robust model, thick-walled and non-buckling
35	50171001	Meter ST 80 PVC-NIT fabric hose ID5,0-W1,7mm red for water (100m) robust model, thick-walled and non-buckling
36	91901001	Cooling liquid plug nipples EURO
N.i.	91901008	Closing cap blue fits cooling liquid plug nipples EURO
N.i.	91901009	Closing cap red fits cooling liquid plug nipples EURO
37	25151001	Meter rubberized fabric protective hose ID25-W1,5mm (40m)
37.1	25151311	Rubberized fabric protective hose ID25-W1,5mm perforated fits 3m / EURO central adapter
37.1	25151411	Rubberized fabric protective hose ID25-W1,5mm perforated fits 4m / EURO central adapter
37.1	25151511	Rubberized fabric protective hose ID25-W1,5mm perforated fits 5m / EURO central adapter
40	91900701	Terminal nut insulated fits EURO central adapter
41	91900201	Central adapter fixed contact-pins EURO central adapter

MHS 92-D

Welding-torch MIG-MAG water-cooled

450A at 100% duty cycle (CO2) - 400A at 100% duty cycle (mixed gas)

	Art.-No.	
41	91900206	Central adapter spring contact-pins EURO central adapter
42	91900801	O-ring ID4-W1mm fits gas-nipple EURO central adapter
43	91900901	Swivel nut IT-M10x1 (rounded edges) fits EURO central adapter
48	91901011	Rubber-hose-fence fits cable support
49	91900561	Cable support machine side (srews included) fits EURO central adapter
N.i.	91920702	Screw M3x11,5mm fits Ratio/Industry/RAUCH handle and cable support
N.i.	91920703	M3 mounting socket fits Ratio/Industry/RAUCH handle and cable support
N.i.	91900601	Attachment screw M4x6mm fits cable support EURO central adapter
50	91912801	Spring-socket fits cable support
51	91912601	Cable support spring
60	92912401	Laminated fabric-tension sleeve with right hand thread
62	92981001	Contact tip holder IT-M8 AD13-L28mm
64	92912201	Flat silicon ring ID17-W2,5mm
66	92912301	Water distributor
68	92912001	Insulating sleeve with left hand thread
70	83008001	Contact tip M8-L30-AD10 0,8
70	83010001	Contact tip M8-L30-AD10 1,0
70	83012001	Contact tip M8-L30-AD10 1,2
70	83014001	Contact tip M8-L30-AD10 1,4
70	83016001	Contact tip M8-L30-AD10 1,6
70	83020001	Contact tip M8-L30-AD10 2,0
70	83010401	Contact tip M8-L30-D10 CuCrZr 1,0
70	83012401	Contact tip M8-L30-D10 CuCrZr 1,2
70	83014401	Contact tip M8-L30-D10 CuCrZr 1,4
70	83016401	Contact tip M8-L30-D10 CuCrZr 1,6
70	83020401	Contact tip M8-L30-D10 CuCrZr 2,0
70	83008301	Contact tip M8-L30-AD10 0,8 nickel-plated
70	83010301	Contact tip M8-L30-AD10 1,0 nickel-plated
70	83012301	Contact tip M8-L30-AD10 1,2 nickel-plated
70	83014301	Contact tip M8-L30-AD10 1,4 nickel-plated
70	83016301	Contact tip M8-L30-AD10 1,6 nickel-plated
70	83008a01	Contact tip M8-L30-D10 0,8-A for aluminium wire
70	83010a01	Contact tip M8-L30-D10 1,0-A for aluminium wire
70	83012a01	Contact tip M8-L30-D10 1,2-A for aluminium wire
70	83016a01	Contact tip M8-L30-D10 1,6-A for aluminium wire
		HD-contact tips M8x36 fits HD-gas nozzle (pos.88 + pos.89) with coolant-chamber
73	83610401	HD-contact tip M8-L36-AD10 CuCrZr 1,0
73	83612401	HD-contact tip M8-L36-AD10 CuCrZr 1,2
73	83614401	HD-contact tip M8-L36-AD10 CuCrZr 1,4
73	83616401	HD-contact tip M8-L36-AD10 CuCrZr 1,6
73	83620401	HD-contact tip M8-L36-AD10 CuCrZr 2,0
73	83624401	HD-contact tip M8-L36-AD10 CuCrZr 2,4
73	83628401	HD-contact tip M8-L36-AD10 CuCrZr 2,8
73	83608a41	HD-contact tip M8-L36-D10 CuCrZr 0,8-A for aluminium wire

MHS 92-D

Welding-torch MIG-MAG water-cooled

450A at 100% duty cycle (CO2) - 400A at 100% duty cycle (mixed gas)

	Art.-No.	
73	83610a41	HD-contact tip M8-L36-D10 CuCrZr 1,0-A for aluminium wire
73	83612a41	HD-contact tip M8-L36-D10 CuCrZr 1,2-A for aluminium wire
73	83618301	HD-contact tip M8-L36-D10 1,6A nickel-plated for aluminium wire
81	92930001	Gas nozzle conical-ID17mm
82	92933001	Gas nozzle cylindric-ID21mm
86	92912101	Insulating fits gas nozzle
88	92930041	HD-gas nozzle with coolant-chamber conical-ID17mm fits HD-contact tips M8x36
89	92933021	HD-gas nozzle with coolant-chamber cylindric-ID21mm fits HD-contact tips M8x36
		Spirals and liners also available in other sizes on inquiry!
90	20450311	Guide spiral-liner ID2,0-AD4,5 fits 3m / EURO central adapter
90	20450411	Guide spiral-liner ID2,0-AD4,5 fits 4m / EURO central adapter
90	20450511	Guide spiral-liner ID2,0-AD4,5 fits 5m / EURO central adapter
90	25450311	Guide spiral-liner ID2,5-AD4,5 fits 3m / EURO central adapter
90	25450411	Guide spiral-liner ID2,5-AD4,5 fits 4m / EURO central adapter
90	25450511	Guide spiral-liner ID2,5-AD4,5 fits 5m / EURO central adapter
92	20393311	PTFE-carbon core liner ID2,0-AD3,9 fits 3m / EURO central adapter
92	20393411	PTFE-carbon core liner ID2,0-AD3,9 fits 4m / EURO central adapter
92	20393511	PTFE-carbon core liner ID2,0-AD3,9 fits 5m / EURO central adapter
92	27473311	PTFE-carbon core liner ID2,7-AD4,7 fits 3m / EURO central adapter
92	27473411	PTFE-carbon core liner ID2,7-AD4,7 fits 4m / EURO central adapter
92	27473511	PTFE-carbon core liner ID2,7-AD4,7 fits 5m / EURO central adapter
92	20406311	Carbon-PA core liner ID2,0-AD4,0 fits 3m / EURO central adapter
92	20406411	Carbon-PA core liner ID2,0-AD4,0 fits 4m / EURO central adapter
92	20406511	Carbon-PA core liner ID2,0-AD4,0 fits 5m / EURO central adapter
92	23476311	Carbon-PA core liner ID2,3-AD4,7 fits 3m / EURO central adapter
92	23476411	Carbon-PA core liner ID2,3-AD4,7 fits 4m / EURO central adapter
92	23476511	Carbon-PA core liner ID2,3-AD4,7 fits 5m / EURO central adapter
92	29476311	Carbon-PA core liner ID2,9-AD4,7 fits 3m / EURO central adapter
92	29476411	Carbon-PA core liner ID2,9-AD4,7 fits 4m / EURO central adapter
92	29476511	Carbon-PA core liner ID2,9-AD4,7 fits 5m / EURO central adapter
92	20404311	ULTRA-liner (brown) ID2,0-OD4,0 fits 3m / EURO central adapter
92	20404411	ULTRA-liner (brown) ID2,0-OD4,0 fits 4m / EURO central adapter
92	20404511	ULTRA-liner (brown) ID2,0-OD4,0 fits 5m / EURO central adapter
92	23474311	ULTRA-liner (brown) ID2,3-OD4,7 fits 3m / EURO central adapter
92	23474411	ULTRA-liner (brown) ID2,3-OD4,7 fits 4m / EURO central adapter
92	23474511	ULTRA-liner (brown) ID2,3-OD4,7 fits 5m / EURO central adapter
92	29474311	ULTRA-liner (brown) ID2,9-OD4,7 fits 3m / EURO central adapter
92	29474411	ULTRA-liner (brown) ID2,9-OD4,7 fits 4m / EURO central adapter

MHS 92-D

Welding-torch MIG-MAG water-cooled

450A at 100% duty cycle (CO2) - 400A at 100% duty cycle (mixed gas)

	Art.-No.	
92	29474511	ULTRA-liner (brown) ID2,9-OD4,7 fits 5m / EURO central adapter
N.i.	20405002	Brass spiral liner (marked blue) ID2,0-OD4,0mm L300mm fits liner OD3,9/4,0mm
N.i.	20405001	Brass spiral liner (marked green) ID2,0-OD4,0mm L300mm fits liner OD4,7mm
N.i.	25405002	Bronze spiral liner (marked blue) ID2,5-OD4,0mm L300mm fits liner OD3,9/4,0mm
N.i.	25405001	Bronze spiral liner (marked green) ID2,5-OD4,0mm L300mm fits liner OD4,7mm
95	91905721	Nipple (brass L-30mm) fits spiral liner EURO central adapter AD4,5mm
96	91906111	Nipple fits core liner EURO central adapter AD3,9/4,0mm
96	91906121	Nipple fits core liner EURO central adapter AD 4,7mm
97	91906131	O-ring ID3,5-W1,5mm fits core liners
N.i.	91906112	Support tube, brass ID4,4 - AD5,0 - L200mm